

Agfa IMPAX PACS Integration Quick Reference Card

PowerScribe® 360 | Reporting Desktop Client Integration

NOTE: Nuance employees are not authorized to adjust or configure the settings on a customer's PACS. The customer, or the customer's PACS representative, must make any necessary changes to the PACS configuration or settings.

Feature Overview

In **Master** mode:

- Mark exam as dictated/read
- Launch PACS images using *PowerScribe 360 | Reporting* work list
- Launch *PowerScribe 360 | Reporting* report using PACS work list
- Can be installed on same PC as PACS/RIS

In **Slave** mode:

- Application launch
- Single login/logout
- Mark exam as dictated/read

Multiple Sites and Multiple Integrations

- If the system has multiple *sites* and the integration type is master, duplicate the master mode integration under each site. If the integration type is slave do not set up duplicate integrations under each site. Set up all slave integrations under the primary site (first site created). When a user logs in, no matter what site they are working under, the system will read the slave integrations created under the primary site and confirm the workstation is set up with the correct directory structures.
- If there are multiple *integrations* on a system, and more than one uses file drop integration such as XML, you will need to ensure that each file drop integration drops files into, or reads files from, separate sub folders under **c:\Nuance** on the client workstation.

For example, an organization using both GE and Hologic might consider using the following paths:

- C:\Nuance\GE\
■ C:\Nuance\Hologic\

Site PACS Settings: Master

1. Go to **Setup > Sites > PACS** section.
2. Click the **Edit**  icon for the PACS you want to configure as Master (or click the **Add**  icon to create a new PACS entry).
3. From the **Type** drop-down list, select **PowerScribe XML**.
4. In the **Name** field, type **PowerScribe XML**. (The **Description** field is optional.)
5. In the **Mode** field, select **Master**.
6. In the **Master** text field, enter **c:\nuance\master\status.xml**
7. Click the **Save**  icon. Your entry should look like the example illustration below.

PACS:	Type	Name	Description	Mode
	 PowerScribe XML	Master XML		Master: c:\nuance\master\status.xml
				

Page 1

Agfa IMPAX PACS Integration Quick Reference Card

PowerScribe® 360 | Reporting Desktop Client Integration

Site PACS Settings: Slave

1. Go to **Setup > Sites > PACS** section.
2. Click the **Edit**  icon for the PACS you want to configure as Slave (or click the **Add**  icon to create a new PACS entry).
3. From the **Type** drop-down list, select **PowerScribe XML**.
4. In the **Name** field, type **Agfa**. (The **Description** field is optional.)
5. In the **Mode** field, select **Slave**.
6. In the **Slave** text field, enter **c:\nuance\study.xml;c:\nuance\status.xml;password=<password>**. (Replace **<password>** with the password needed to decrypt the XML file.)
7. Click the **Save**  icon. Your entry should look like the example illustration below.

PACS:	Type	Name	Description	Mode
 	PowerScribe XML	Agfa		Slave:c:\nuance\study.xml;c:\nuance\status.xml;password=<password>
				

Page 1

For PowerScribe 360 | Reporting versions 2.5.1 and higher only: Reports Based on Both Accession Number and MRN

Institutions that have multiple sites introduce the possibility of duplicate accession numbers. With *PowerScribe 360 | Reporting* version **2.5.1 and higher**, you can configure the system to open an order based on both accession number *and* MRN.

To do this, add the setting **;FIELDMRN=<field name>** to the end of the **Slave** text field shown in step 6 above. Note the semicolon delimiter: the complete field in this example would be

c:\nuance\study.xml;c:\nuance\status.xml;password=<password>;FIELDMRN=<field name>.

(Replace **<password>** with the password needed to decrypt the XML file.)

Once this value is set, when AGFA sends the study xml file that contains the accession number and MRN for the fields defined in the Administrator Portal, *PowerScribe 360 | Reporting* extracts both values and uses them to open a report for the accession number/MRN pair.