

# McKesson Radiology Integration Quick Reference Card

## PowerScribe® 360 | Reporting (version 2.0 and higher) Optional Feature

**NOTE:** Nuance employees are not authorized to adjust or configure the settings on a customer's PACS. The customer, or the customer's PACS representative, must make any necessary changes to the PACS configuration or settings.

### Feature Overview

**NOTE:** This integration operates in **Slave Mode only**.

**Supported Versions:** McKesson Radiology Station 12.0; HRS-A and HRS-D 11.5.2, 11.6, 11.7, 11.8, and 11.9, via McKesson Radiology Report Connector

**Slave mode:**

- Mark exam as dictated/read
- Launch *PowerScribe 360 | Reporting* report using PACS work list
- Can be installed on the same PC as the PACS/RIS




#### Multiple Sites and Multiple Integrations




- If the system has multiple *sites* and the integration type is master, duplicate the master mode integration under each site. If the integration type is slave do not set up duplicate integrations under each site. Set up all slave integrations under the primary site (first site created). When a user logs in, no matter what site they are working under, the system will read the slave integrations created under the primary site and confirm the workstation is set up with the correct directory structures.
- If there are multiple *integrations* on a system, and more than one uses file drop integration such as XML, you will need to ensure that each file drop integration drops files into, or reads files from, separate sub folders under **c:\Nuance** on the client workstation.

For example, an organization using both GE and Hologic might consider using the following paths:

- C:\Nuance\GE\
- C:\Nuance\Hologic\

### Site PACS Settings

1. Go to **Setup > Sites > PACS** section.
2. Click the **Edit**  icon for the PACS you want to configure as Slave (or click the **Add**  icon to create a new PACS entry).
3. From the **Type** drop-down list, select **Horizon Med Imaging**.
4. In the **Name** field, type **Horizon Med Imaging**. (The **Description** field is optional.)
5. In the **Mode** field, select **Slave**.
6. In the **Slave** text field, enter **c:\Nuance;multisite=all**.
7. Click the **Save**  icon. Your entry should look like the example illustration below.

PACS:	Type	Name	Description	Mode
 	Horizon Med Imaging	Horizon Med Imaging		Slave: c:\Nuance;multisite=all
				

Page 1

#### Additional Step

Copy the **StartPS360.bat** and the **StopPS360.bat** files into the **C:\Horizon** directory on each *PowerScribe 360 | Reporting* Client Workstation using the McKesson integration. (You can get these two files from your Nuance Field Service Representative or from McKesson support.)

**NOTE:** The site administrator should coordinate with the McKesson engineers to set a logout delay of **at least 120 seconds**. This allows sufficient time for PS 360 to upload profile data and close before the McKesson HMI closes out.

# McKesson Radiology Integration Quick Reference Card

## Additional Settings (version 2.0 and higher)

For some sites, an additional setting can be added to the Mode entry line for **Draft=X**, where X will be the text set for **ResponseStatus** in the response XML file sent to the McKesson integration if the report is closed with a Draft state. For some McKesson PACS sites, this will be **Draft=Dictated** or **Draft=Preliminary**. If the Draft=X is not entered in the Mode entry line, the **ResponseStatus** will be set to **Suspended** if the report is closed in a Draft state.

This customization should be determined by customer personnel and/or the PACS vendor according to the site requirements, to ensure the proper XML response.




### Optional Slave Mode Entries

With **Draft=Dictated** added: **c:\nuance;multisite=all;Draft=Dictated**

PACS:	Type	Name	Description	Mode
 	Horizon Med Imaging	Horizon Med Imaging		<b>Slave:</b> c:\nuance;multisite=all;Draft=Dictated
				

Page 1

With **Draft=Preliminary** added: **c:\nuance;multisite=all;Draft=Preliminary**

PACS:	Type	Name	Description	Mode
 	Horizon Med Imaging	Horizon Med Imaging		<b>Slave:</b> c:\nuance;multisite=all;Draft=Preliminary
				

Page 1

User Button Action	Report Status	McKesson Response	Description
Discard (Resident/Attending)	Discarded	Canceled	Specifies that a report was created and then discarded.
Wet (Resident/Attending)	WetRead	Dictated	Specifies that the report status is WetRead.
Draft (Resident/Attending) Prelim (Resident)	Draft	Suspended	Specifies that the report status is Draft. NOTE: In RadPortal, set DRAFT=<Status name> to use a different status name. For example, <b>DRAFT=Dictated</b>
Correct (Resident/Attending)	PendingCorrection	Dictated	Specifies that the report status is PendingCorrection. The report enters that status when its author sends it to an editor for correction/transcription.
Reject (Resident/Attending)	CorrectionRejected	Dictated	Specifies that the report status is CorrectionRejected. The report enters that status when the author rejects the report corrected/transcribed by an editor.
Approve (Resident) Prelim (Attending)	PendingSignature	Preliminary	Specifies that the report status is PendingSignature. The report enters this status when approved by the resident who dictated it, or when signed as preliminary by the attending.
Reject (Attending)	SignRejected	Dictated	Specifies that the report status is SignRejected. The report enters this status when the attending rejects the report approved by the resident.
Sign (Attending)	Final	Final	Specifies that the report status is Final.