Installation Guide

PowerMic[™] Microphones

USB PowerMic[™] PowerMic+Scanner PowerScanner[™]

HEALTHCARE SOLUTIONS









Dictaphone

Dictaphone®

Giving New Meaning to Voice...

Installation Guide PowerMic™ Microphones

USB PowerMic™ PowerMic+Scanner PowerScanner™



Trademarks

Dictaphone®, PowerMic[™], USB PowerMic[™], and PowerScanner[™] are trademarks or registered trademarks of Dictaphone Corporation.

Other names and trademarks referenced herein are trademarks or registered trademarks of their respective owners.

Copyright Notice

This manual is copyrighted and all rights are reserved by Dictaphone Corporation. No part of this publication may be reproduced, transmitted, transcribed, stored in a retrieval system, or translated into any language or computer language, in any form or by any means, electronic, mechanical, magnetic, optical, chemical, manual, or otherwise, without the prior written permission of Dictaphone Corporation, 3191 Broadbridge Avenue, Stratford, CT 06614-2559.

Copyright © 2003-2004 Dictaphone Corporation. All rights reserved.

Disclaimer

Dictaphone Corporation makes a sincere effort to ensure the accuracy of the material described herein. However, except as set forth in any license documentation applicable to each product of Dictaphone referred to herein, Dictaphone makes no warranty, express or implied, with respect to the quality, correctness, reliability, currentness, accuracy, or freedom from error of this document or the product or products referred to herein and specifically disclaims any implied warranties of merchantability and fitness for any particular purpose. Dictaphone disclaims all liability for any direct, indirect, incidental, consequential, special, or exemplary damages resulting from the use of the information in this document. Mention of any product not manufactured by Dictaphone does not constitute an endorsement by Dictaphone of that product.

Visit Dictaphone Corporation on the Web at www.dictaphone.com.

L-2770-002 02/2004

Revision History

DOCUMENT NUMBER	SOFTWARE VERSION	DESCRIPTION	DATE
L-2770-001	N/A	Initial release	06/2003
L-2770-002	N/A	Updated procedures	02/2004

Published by Dictaphone Corporation Stratford, Connecticut, USA

The Customer Documentation Team strives to provide our customers with high-quality printed and on-line documentation for all Dictaphone products. If you have any comments or suggestions as to how we can improve our documentation for your use, please contact us at:

Doc Feedback @ Dictaphone.com

Contents

Introduction	1
Using Your Microphone	1
Prerequisites	2
Additional Requirements	2
USB PowerMic™ Microphone	4
Installing the USB PowerMic	4
USB PowerMic+Scanner Microphone	5
Installing the Driver Files	5
Installing the USB PowerMic+Scanner	9
PowerScanner™ Microphone	10
Installing the PowerScanner	13
Installing the Microphone Wizard Program	15
Testing Your PowerMic with the Microphone Wizard	d 19
Regulatory Notices	22
Safety	22
EMC	22
Index	. 23

Introduction

This Installation Guide provides you with important information about installing your $PowerMic^{TM}$ microphone for use with Dictaphone[®] dictation software. It includes installation instructions for the following models:

- USB PowerMic (Part #0331039-002)
 This is the standard PowerMic microphone with a USB connection to your computer. Installation procedures begin on page 4.
- PowerMic+Scanner (Part #0331040-002)
 This is the PowerMic microphone and barcode scanner with a USB connection to your computer.
 Installation procedures begin on page 5.
- PowerScanner (Part #0331005-007)
 This is the PowerMic microphone and barcode scanner with a serial connection to your computer.
 Installation procedures begin on page 10.

Be sure to follow the installation instructions for the model you have purchased.

Using Your Microphone

Refer to the user documentation and online help provided with your Dictaphone dictation software for information on how to use your microphone's features for recording dictation with your particular application.

Prerequisites

USB PowerMic and PowerMic+Scanner:

Windows® XP or Windows® 2000 operating system.

PowerScanner: Windows NT[®], Windows[®] XP, or Windows[®] 2000 operating system. The Turtle Beach[™] Santa Cruz[™] sound card, which is the sound card approved and supported by Dictaphone for use with the *PowerScanner*, must be installed on your computer.



Note: The prerequisites below are for the microphone only. Your dictation software has its own set of minimum hardware and software requirements. Check your dictation software's user documentation to be sure the software can run on your computer.

Additional Requirements

USB PowerMic

- This model of the *PowerMic* does not require the installation of any files.
- It is recommended that you install and run the Microphone Wizard (MicWiz) program to test your microphone.

PowerMic+Scanner

- This model of the *PowerMic* requires the installation of a set of scanner driver files.
- It is recommended that you install and run the Microphone Wizard (MicWiz) program to test your microphone.

PowerScanner

- This model of the PowerMic requires the use of a Turtle Beach Santa Cruz sound card and its drivers installed on your computer.
- It is also required that you install and run the Microphone Wizard (MicWiz) program to test your microphone.

The drivers for the *PowerMic+Scanner* and the MicWiz program are available on the **USB Microphone Driver CD** that is included with your microphone. These same files, as well as the drivers for the Turtle Beach Santa Cruz sound card, are also available for download from the Dictaphone Web site at www.dictaphone.com. Refer to subsequent sections of this Installation Guide for information on how to download and install these files

USB PowerMic™ Microphone

Installing the USB PowerMic To install the USB PowerMic:

Connect the *USB PowerMic's* **USB cable** to an available **USB port** on the front or back of your computer.



You can begin using the USB PowerMic immediately.

However, it is recommended that you follow the procedures to install the Microphone Wizard program and test your *USB PowerMic* as indicated in *Installing the Microphone Wizard Program* on page 15.


USB PowerMic+Scanner Microphone

Before using your *PowerMic+Scanner*, you will need to install a set of scanner driver files. The necessary drivers are on the **USB Microphone Driver CD** that is included with your microphone (see below). The drivers are also available for download from the Dictaphone Web site (see page 6).

Installing the Driver Files

To install the drivers for the PowerMic+Scanner from the USB Microphone Driver CD:

- 1. Insert the **USB Microphone Driver CD** into your computer's CD-ROM drive.
- Start the Windows Explorer application.
 To open Windows Explorer, select ■Start >
 Programs > Accessories > Windows Explorer.
 OR
 - Select **Start > Run...**, type **explorer.exe**, and then click **OK**.
- 3. In the left pane, select the CD-ROM drive (usually the D: drive) identified as **DictaphoneMic (D:)**.



- 4. In the right pane, right-click the **USBSerialDrv** folder and select **Copy** from the shortcut menu.
- In the left pane, navigate to your C:\Windows or C:\WINNT folder where you will save the driver files. (The name of this folder depends on the operating system on your PC.)
- Right-click this folder and select Paste from the shortcut menu. The USBSerialDrv folder is copied into the Windows/WINNT folder. The drivers are now installed

You can now install your microphone as indicated in *Installing the USB PowerMic+Scanner* on page 9.

To download the drivers from the Dictaphone Web site:

- 1. Start **Internet Explorer** and go to the Dictaphone Web site at www.dictaphone.com.
- 2. Click the **Support** link in the top navigation bar on the Dictaphone home page.
- On the Support page, scroll down and click the Downloads link. You can go directly to the Downloads page at http://www.dictaphone.com/support/productService/downloads.asp.
- 4. Click the heading **PowerMic Microphones**.
- Click the link under the heading USB
 PowerMic+Scanner Microphone to download the drivers.

 When prompted to do so, click Save to save the installation file, PowerMicDrivers.exe, on your computer.



- 7. In the **Save As** dialog box, navigate to and select your **Temp** folder (C:/Temp) where you will save the downloaded file.
- Click Save to begin the download. When the download is finished, click Close and continue with the procedure below for installing the drivers.

To install the drivers from the downloaded installation file:

 Open Windows Explorer, navigate to the Temp folder where you downloaded the drivers, and double-click the PowerMicDrivers.exe file. A message displays telling you the drivers will be installed.




2. Click **OK**. A file extraction dialog box opens.



- Click Unzip to begin extracting the files. Accept the default location so that the drivers are extracted to C:\PowerMicDrivers.
- When the extraction of files is finished, click OK and close any remaining dialog boxes.
- 5. Connect your *PowerMic+Scanner* to your computer as indicated in *Installing the USB PowerMic+Scanner* on page 9.
- 6. Run the **Microphone Wizard** (MicWiz) program to test your microphone as indicated in *Installing the Microphone Wizard Program* on page 15.

Installing the USB PowerMic+Scanner To install and connect the USB PowerMic+Scanner microphone to your PC:

 After downloading and installing the drivers for the USB PowerMic+Scanner microphone, connect the USB cable to an available USB port on the back or front of your computer.



- Your computer will automatically detect the new device and open the Hardware Installation
 Wizard. Follow any instructions provided by the Hardware Installation Wizard. When prompted to indicate the location of the *PowerMic+Scanner's* driver files, enter the name and location of the folder where the drivers were installed, that is,
 C:\PowerMicDrivers
- 3. Follow the remaining instructions provided by the Wizard, keeping the default settings.
- 4. It is recommended that you follow the procedures to install the Microphone Wizard program and test the *PowerMic+Scanner* as indicated on page 15.

When the installation is complete, you are ready to use the *PowerMic+Scanner*.

PowerScanner[™] Microphone

The *PowerScanner* microphone connects to a serial port on your computer. Before you install the *PowerScanner*, be sure you have installed the Turtle Beach Santa Cruz sound card and its driver files following the manufacturer's instructions. The drivers are provided with your sound card, or you can download them from the Dictaphone Web site.

To download the sound card drivers from the Dictaphone Web site:

- 1. Start **Internet Explorer** and go to the Dictaphone Web site at www.dictaphone.com.
- Click the Support link in the top navigation bar on the Dictaphone home page.
- On the Support page, scroll down and click the Downloads link. You can go directly to the Downloads page at http://www.dictaphone.com/support/productService/downloads.asp.
- 4. Click the heading **PowerMic Microphones**.
- Click the link for your computer's operating system under the heading PowerScanner Serial Microphone to download the correct drivers.
- 6. When prompted to do so, click **Save** to save the installation file on your computer.



- 7. In the **Save As** dialog box, navigate to and select your **Temp** folder (C:/Temp) where you will save the downloaded file.
- Click Save to begin the download. When the download is finished, click Close and continue with the procedure below for installing the drivers for the sound card.


To install the drivers from the downloaded installation file:

- Open Windows Explorer, navigate to the Temp folder where you downloaded the drivers, and double-click the executable file for your operating system:
 - sc_4161s.exe for Windows 2000 and Windows XP
 - TBSCWin98Drivers.exe for Windows 98 and Windows ME
 - TBSCWinNTDrivers.exe for Windows NT

A message, similar to the one shown below, displays telling you the drivers will be installed.



2. Click **OK**. A file extraction dialog box opens.



- 3. Click **Unzip** to begin extracting the files. Accept the default location so that the drivers are extracted to **C:\SoundCardDrivers**
- 4. When the extraction of files is finished, click **OK**. The InstallShied Wizard opens and installs the driver files automatically.
- 5. If a **Reboot needed** message indicates that you should restart your computer, close any open applications, and click **Yes**.
- 6. When your computer is restarted, connect your *PowerScanner* to your computer as indicated in *Installing the PowerScanner* on page 13.
- 7. Run the **Microphone Wizard** (MicWiz) program to test your microphone as indicated in *Installing the Microphone Wizard Program* on page 15.

Installing the PowerScanner


To install the PowerScanner:

- 1. The *PowerScanner's* cable is split into five cables.
 - a. Insert the speaker cable into the sound card's Speaker port. The speaker cable's connector is green and has a small speaker icon embossed on it.
 - b. Insert the **MIDI cable** into the sound card's **Mic port**. The MIDI cable's connector is orange and has a small microphone icon embossed on it.
 - c. Insert the **game port connector** (15-pin connection) into the sound card's **game port**.
 - d. Insert the **serial cable** (7-pin connection) into a **serial port** on your computer.



Note: Refer to your sound card's documentation if you need help locating these ports.

- e. Connect the **remaining cable** to the **Switching** AC Adaptor's cable.
- Plug the Switching AC Adaptor's power cord into an electrical outlet.
- 3. Follow the instructions beginning on page 15 to install the Microphone Wizard and test the microphone. When you have finished the test, you are ready to use the *PowerScanner*.



Installing the Microphone Wizard Program

The Microphone Wizard (MicWiz.exe) is a program you use to test your microphone.

If you have the *PowerScanner* serial microphone, it is *required* that you use the MicWiz program to test your microphone before using it.

If you have the *USB PowerMic* microphone or the *USB PowerMic+Scanner* microphone, it is *recommended*, but not required, that you use the MicWiz program to test your microphone.

The Microphone Wizard can be installed from the **USB Microphone Driver CD** (see below) and is also available for download from the Dictaphone Web site (refer to page 17).


To install the Microphone Wizard application from the USB Microphone Driver CD:

- 1. Insert the **USB Microphone Driver CD** into your computer's CD-ROM drive.
- Start the Windows Explorer application.
 To open Windows Explorer, select ■Start > Programs > Accessories > Windows Explorer.

OR

Select **Start** > **Run...**, type **explorer.exe**, and then click **OK**.


3. In the left pane, select the CD-ROM drive (usually the D: drive) identified as **DictaphoneMic (D:)**.



4. In the right pane, select the **MicWiz.exe** file.




5. Drag the file to your Windows desktop. This action installs the program.



6. Continue with *Testing Your PowerMic with the Microphone Wizard* on page 19.

To download the Microphone Wizard application from the Dictaphone Web site:

- 1. Start **Internet Explorer** and go to the Dictaphone Web site at www.dictaphone.com.
- 2. Click the **Support** link in the top navigation bar on the Dictaphone home page.
- On the Support page, scroll down and click the Downloads link. You can go directly to the Downloads page at http://www.dictaphone.com/support/productService/downloads.asp.
- 4. Click the heading **PowerMic Microphones**.
- Click the link under the heading Microphone Wizard Program to download the file.
- 6. When prompted, click **Save** to begin the download. A file selection window opens.



7. Accept the default folder of C:\MicWiz and click Save. The installation file *MicWizInstall.exe* is downloaded into the MicWiz folder. When the

PowerMic™ Microphones Installation Guide

- download is finished, click **Close** to close the dialog box, if necessary.
- 8. Open **Windows Explorer** and navigate to the **C:\MicWiz** folder.
- 9. In the right pane, double-click the **MicWizInstall.exe** file. The Microphone Wizard application files are installed in the C:\MicWiz folder

Testing Your PowerMic with the Microphone Wizard

To run the Microphone Wizard and test your PowerMic microphone:


 Double-click the MicWiz icon on your Windows desktop, if you installed the application from the USB Microphone Driver CD.

OR

Open Windows Explorer, select the MicWiz folder, and double-click the MicWiz.exe file. The Test Device or Clear Device Selection dialog box opens. It displays the names of several microphones. The microphone connected to your PC in indicated in the Test Microphones group box as the device to be tested



- If the text box under Current Device Selection displays 'No Device Present', skip this step and continue with Step 3. If the text box displays the name of a device other than your microphone, click the Clear Device Selection check box to put a check mark in it.
- 3. Click **OK**. Another dialog box opens.
- Select each of the items in the **Lights** drop-down list in turn. As you select each item, watch the microphone's light. The light's behavior should match the item selected.



Testing Your PowerMic with the Microphone Wizard

- Press each of the microphone's buttons in turn. As you press each button, observe the items in the Button Pressed group box on your screen. When you press a button, its corresponding item should appear selected.
- 6. Click **OK** when you are finished testing all the microphone's light behaviors and buttons. The **Device Test Summary** dialog box opens.
- 7. Check the box to make your microphone the default device
- 8. Click **OK** to close the Microphone Wizard application. You are ready to use the microphone.

Regulatory Notices

Safety

EN 60950:2000 "Safety of ITE Equipment Including Electrical Business Equipment".

EMC

EN 55022:1998 (Class B) ITE Emission (EU).

FCC 47 CFR Part 15 Class B Emissions (USA).

ICES-003 Issue 3 Class B Emissions (Canada).

AS/NXS 3548:1995/CISPR 22 Class B ITE Emissions (Australia).

SABS CISPR 22:1997 Class B ITE Emissions (South Africa).

EN55024:1998 ITE Immunity.

Index

A
additional requirements 2
C
connecting the PowerMic+Scanner 9 connecting the PowerScanner 13 connecting the USB PowerMic 4
D
download
Microphone Wizard program 17
download drivers
PowerMic+Scanner 6
PowerScanner 10
Turtle Beach Santa Cruz sound card 10
downloaded drivers
installing 7, 11
drivers
downloading 6, 10
installing 7, 11 PowerMic+Scanner 6
PowerScanner 10
PowerScanner 10
E
EMC notices 22
I
installing
downloaded drivers 7, 11
Microphone Wizard program 15
MicWiz 15

PowerMic™ Microphones Installation Guide

```
PowerScanner 13
    sound card drivers 11
installing drivers
    PowerMic+Scanner 5, 7
    PowerScanner 11
introduction 1
M
microphone models
    USB PowerMic 1
    USB PowerMic+Scanner 1
    USB PowerScanner 1
microphone testing 19
Microphone Wizard
    downloading 17
    installing 15
    using 19
MicWiz
    installing 15
    using 19
P
PowerMic
    installing 4
PowerMic microphone 4
PowerMic+Scanner
    connecting 9
    downloading drivers 6
    driver files 5
    installing 9
PowerMic+Scanner microphone 5
PowerScanner 10
    connecting 13
    downloading sound card drivers 10
```

```
installing 13
PowerScanner microphone 10
prerequisites 2
R
regulatory notices 22
requirements
    PowerMic 2
    PowerMic+Scanner 2
    PowerScanner 3
S
safety notices 22
serial port 13
sound card
    Turtle Beach Santa Cruz 10
sound card drivers
    downloading 10
    installing 11
\mathbf{T}
testing the microphone 19
Turtle Beach Santa Cruz sound card 10
Turtle Beach Santa Cruz sound card driver files 11
U
USB port 4, 9
USB PowerMic 4
USB PowerMic+Scanner 5
```

Dictaphone®

Giving New Meaning to Voice...

Dictaphone

Giving New Meaning To Voice...

Dictaphone World Headquarters

3191 Broadbridge Avenue Stratford, CT, USA 06614-2559

Tel: 1-888-350-4836

E-mail: healthcare@dictaphone.com

Web: www.dictaphone.com

Dictaphone Canada

2355 Skymark Avenue Mississauga, Ontario, Canada L4W 4Y6

Tel: 1-905-625-0300

Continental Europe: Dictaphone Europe AG

Ifangstrasse 91 CH-8153 Rümlang

Switzerland

Tel: +41 (0)1 817 76 76

E-mail: info@dictaphone-europe.com

United Kingdom, Middle East, Africa, Latin America, and Asia Pacific: Dictaphone International

Commonwealth House Chalk Hill Road, Hammersmith London W6 8DW United Kingdom

Tel: +44 (0)20 7878 5000 E-mail: int.support@dictaphone.com

Dictaphone*, PowerMic* and PowerScanner* are trademarks or registered trademarks of Dictaphone Corporation. All other names and trademarks referenced herein are trademarks or registered trademarks of their respective owners.

L-2770-002 02/2004